Contents

Logo Mats	
Berber™ Logo	4
Cushion Max™ Impressions	6
DigiPrint™ ★ 🥒	8
DigiPrint™ HD ★ 🍠	10
DigiPrint™ HD Custom Shapes ✓ 🥒	12
Flocked Olefin	14
Floor Impressions [™] ★	16
Grand Impressions™ HD ★ 🍠	18
HogHeaven™ Impressions	20
New Wave [™]	22
PhotoMats™	24
SuperScrape™ Impressions ★	26
SuperScrape™ Signature ✓	28
Waterhog™ Inlay ★ 🍠	30
Waterhog™ Sculptures 🥒	32
Waterhog™ Signature ✓ 🥒	34
Non-Logo Mats	
Complete Comfort™	36
Cushion Max™	37
DigiPrint™ HD Solid √	38
HogHeaven™	39
Plush™	40
SuperScrape™	42
TriGrip™	44
Waterhog™ Classic and Fashion 🥒	46
Waterhog™ Eco Premier and Fashion 🥒	48
Waterhog™ Eco Grand Premier 🥒	50





BerberTM Logo High Traffic, Indoor and Outdoor Applications

Item # 2283



Features and Benefits

- No set-up fees.
- · No art fees.
- 10 day standard production time.
- · Great for large entrance areas and custom applications.
- Custom shapes and sizes are available.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.

Mat Specifications

Overall Mat Thickness: 3/8"

Mat Surface: Polypropylene Fabric

Carpet Weight: 45 oz/sq yd

Mat Borders: PVC Edging (optional)

Mat Backing: Latex

Ideal Usage

- Entrance Areas
- Schools
- Factories
- Hotels
- Airports
- Banks

- Office **Buildings**
- Convention Centers
- Custom-Sized Areas
- Government and Military Buildings

Standard Sizes

Size	Finished Size	Size	Finished Size
6' x 10'	70" x 120"	8' x 16'	95" x 192"
6' x 12'	70" x 144"	8' x 20'	95" x 240"
6' x 16'	70" x 192"	10' x 12'	118" x 114"
6' x 20'	70" x 240"	10' x 16'	118" x 192"
8' x 8'	95" x 96"	10' x 20'	118" x 240"
8' x 10'	95" x 120"	12' x 12'	142" x 144"
8' x 12'	95" x 144"	12' x 16'	142" x 192"
		12' x 20'	142" x 240"





Mat Surface Detail

Color Options



Bright Red*



Burgundy



Charcoal



Dark Blue





Dark Green




Emerald Green



Gold*



Grey



Light Blue



Light Yellow*



Orange*



Purple*



Sand



Solid Black



Solid Red



White*

*Select colors are only available in 6' widths.

Please note: White is not available as a background color option.

Cushion Max™ Impressions

Medium Traffic, Indoor Applications

Item # 3431



Features and Benefits

- No set-up fees.
- No art fees.
- 5 day standard production time.
- Photographic quality logos.
- Exceptional anti-fatigue properties.
- Diamond surface pattern offers superior traction.
- Beveled edges for safety.
- Pantone[™] color matching available for a one time fee of \$250.00 per PMS match.
- Easy to clean! Hose off or sweep.
- For a non-logo version, see Cushion Max[™] on page 37.

Mat Specifications

Overall Mat Thickness: 3/4"

Logo Material: Digitally Printed Vinyl

Mat Surface: Foam Rubber.

Diamond Pattern

Mat Borders: Beveled Foam Rubber

Mat Backing: Foam Rubber

Ideal Usage

- Valet Stands
- Cash Registers
- Trade Shows
- Pharmacies
- Kiosks
- Veterinary Offices
- Casinos
- Hostess Stations

- Research Facilities
- Work Stations
- Airports
- Healthcare Facilities
- Convenience Stores

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 36"	16" x 24"	4 lbs.
3' x 5'	36" x 60"	24" x 48"	8 lbs.
3' x 10'	36" x 120"	24" x 96"	16 lbs.
4' x 6'	48" x 72"	36" x 50"	12 lbs.
4' x 8'	48" x 96"	36" x 70"	18 lbs.





Mat Surface Detail



DigiPrint™

High Traffic, Indoor Applications





Features and Benefits

- No set-up fees.
- No art fees.
- 5 day standard production time.
- State-of-the-art digital printing.
- 23 background colors and over 300 accent colors.
- Treated with StainStopper[™].
- Easy to clean! Vacuum or steam clean.
- Available in solid colors.

Mat Specifications

Overall Mat Thickness: 5/16" Mat Surface: Nylon Yarn Carpet Weight: 24 oz/sq yd

Static Dissipative

Mat Borders: SBR Rubber Mat Backing: SBR Rubber

Ideal Usage

- Civic Buildings
- Hotels
- Restaurants
- Schools
- Lobbies
- Office Buildings
- Commercial Buildings
- Healthcare Facilities

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 35"	24" x 35"	3 lbs.
3' x 4'	35" x 47"	35" x 47"	6 lbs.
3' x 5'	35" x 59"	35" x 59"	7 lbs.
3' x 10'	35" x 119"	35" x 119"	15 lbs.
4' x 6'	45" x 69"	45" x 69"	11 lbs.
4' x 8'	45" x 95"	45" x 95"	14 lbs.
5' x 8'	59" x 95"	59" x 95"	19 lbs.
5' x 10'	59" x 119"	59" x 119"	24 lbs.
6' x 10'	69" x 119"	69" x 119"	28 lbs.
6' x 12'	69" x 143"	69" x 143"	34 lbs.

Special sizes and XL sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.



Background Color Options



Aquamarine



Black



Burgundy



Chocolate



Dark Gold



Dark Grey



Emerald Green



Forest Green



Gold



Hot Pink



Light Blue



Moss Green



Navy



Orange



Purple









Mat Surface Detail



Silver



Suede



Turquoise



DigiPrint™ HD

High Traffic, Indoor Applications

Item # 73



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Revolutionary, HD digital printing.
- Features 150 standard colors to choose from. Color palette available on website.
- 10 times the resolution of previously available products.
- Extremely plush carpet.
- Treated with StainStopper[™].
- Easy to clean! Vacuum or steam clean.
- For a non-logo version, see DigiPrint[™] HD Solid on page 38.

Mat Specifications

Overall Mat Thickness: 5/16" Mat Surface: Nylon Yarn Carpet Weight: 32 oz/sq yd

Static Dissipative

Mat Borders: SBR Rubber Mat Backing: SBR Rubber

Ideal Usage


- Hotels
- Restaurants
- Schools
- Retail Stores
- Museums
- Civic Buildings
- Healthcare Facilities
- Commercial Buildings

Standard Sizes


Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 35"	24" x 35"	3 lbs.
3' x 4'	35" x 47"	35" x 47"	6 lbs.
3' x 5'	35" x 59"	35" x 59"	8 lbs.
3' x 10'	35" x 119"	35" x 119"	16 lbs.
4' x 6'	45" x 69"	45" x 69"	12 lbs.
4' x 8'	45" x 95"	45" x 95"	17 lbs.
5' x 8'	59" x 95"	59" x 95"	20 lbs.
5' x 10'	59" x 119"	59" x 119"	27 lbs.
6' x 10'	69" x 119"	69" x 119"	31 lbs.
6' x 12'	69" x 143"	69" x 143"	40 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.





Mat Surface Detail



DigiPrint™ HD Custom Shapes

High Traffic, Indoor Applications



Features and Benefits

- · No set-up fees.
- · No art fees.
- 5 10 day standard production time.
- Revolutionary, HD digital printing.
- Features 150 standard colors to choose from. Color palette available on website.
- 10 times the resolution of previously available products.
- Extremely plush carpet.
- Treated with StainStopper[™].
- Easy to clean! Vacuum or steam clean.
- For a non-logo version, see DigiPrint™ HD Solid on page 38.

Mat Specifications

Overall Mat Thickness: 5/16" Mat Surface: Nylon Yarn Carpet Weight: 32 oz/sq yd

Static Dissipative


Mat Borders: 90 Mil Nitrile Rubber Mat Backing: 90 Mil Nitrile Rubber

Ideal Usage

- Restaurants
- Schools
- Retail Stores
- Civic Buildings

Sizing Instructions

In order to design a custom cut DigiPrint HD, please stay within the maximum 6' width of the carpet used for this product. Please use the below diagram as a reference when designing custom cut mats.



Sizing determined by maximum edge dimensions.





Mat Surface Detail



Flocked Olefin

Low to Medium Traffic, Indoor Applications

Item # 379



Features and Benefits

- No set-up fees.
- · No art fees.
- 10 day standard production time.
- Vibrant colors.
- Crisp logos.
- Colorfast olefin yarn resists stains.
- 10 background colors and 20 logo colors.
- Up to 4 logo colors per mat.
- · Non-slip vinyl backing.
- Cost-effective, indoor logo mat option.
- Easy to clean! Simply vacuum.

Mat Specifications

Overall Mat Thickness: 1/2" Mat Surface: Olefin Fiber Carpet Weight: 12 oz/sq yd

Mat Borders: Vinyl Mat Backing: Vinyl

Ideal Usage


- Schools
- Restaurants
- Movie Theaters
- Events
- Trade Shows
- Retail Stores
- Municipalities

- Short-Term Promotions
- Apartment Communities
- Office Buildings
- Convenience Stores

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 36"	18" x 30"	5 lbs.
3' x 4'	36" x 48"	28" x 42"	8 lbs.
3' x 5'	36" x 60"	28" x 50"	11 lbs.
4' x 6'	48" x 72"	28" x 50"	16 lbs.





Mat Surface Detail

Background Color Options



Black



Burgundy



Castellan Red



Charcoal



Evergreen



Marlin Blue



Medium Grey



Navy Blue



Pebble Brown



Walnut

Logo Color Options



Beige



Black



Chocolate Brown



Gold



Grey



Dark Green



Light Grey



Navy



Ocean Blue



Orange



Process Blue



Paradise Pink



Process Yellow







Royal Blue



Teal



White













Floor Impressions™

High Traffic, Indoor and Outdoor Applications

Item # 3425



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Available with a standard "diamond" pattern or an optional "smooth" surface.
- Photographic quality logos.
- Logo printed to within 1/2" of the rubber borders.
- Diamond surface pattern offers superior traction.
- UV, chemical and oil resistant.
- Pantone™ color matching available for a one time fee of \$250.00 per PMS match.
- Easy to clean! Hose off or sweep.

Mat Specifications

Overall Mat Thickness: 3/16"

Logo Material: Digitally Printed Vinyl

Mat Surface: Nitrile Rubber, Diamond Pattern

or Optional Smooth Surface

Mat Borders: Nitrile Rubber Mat Backing: Nitrile Rubber

Ideal Usage

- Trade Shows
- Retail Stores
- Events
- Restaurants
- Schools
- Airports
- Sports Arenas

- Product Promotions
- Convenience Stores
- Automobile Dealerships
- Point-of-Purchase Displays

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
18" x 24"	18" x 24"	17" x 23"	5 lbs.
2' x 3'	22" x 34"	21" x 33"	6 lbs.
3' x 5'	34" x 58"	33" x 57"	16 lbs.
3' x 10'	34" x 118"	33" x 117"	32 lbs.
4' x 6'	46" x 69"	45" x 68"	24 lbs.

Special sizes are available. All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.






Diamond Pattern



Smooth Surface



Grand Impressions™ HD

Medium Traffic, Indoor Applications

Item # 63



Features and Benefits

- No set-up fees.
- No art fees.
- 5 day standard production time.
- Features 150 standard colors to choose from. Color palette available on website.
- Revolutionary, HD digital printing.
- 10 times the resolution of previously available products.
- Extremely plush carpet.
- Sewn edges for a luxurious, finished look.
- Treated with StainStopper[™].
- Easy to clean! Vacuum or steam clean.

Mat Specifications

Overall Mat Thickness: 3/8" Mat Surface: Nylon Yarn Carpet Weight: 32 oz/sq yd

Static Dissipative

Mat Borders: Sewn Nylon Yarn

Mat Backing: 4' x 6' or smaller - 100% Recycled

Rubber Backing.

Larger than 4' x 6' - Vinyl Backing

Ideal Usage

- Schools
- Lobbies
- Reception Areas
- Resorts
- Country Clubs
- Boutiques
- Banks
- Hotels
 - Office Buildings

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 35"	24" x 35"	4 lbs.
3' x 4'	35" x 47"	35" x 47"	8 lbs.
3' x 5'	35" x 59"	35" x 59"	10 lbs.
3' x 10'	35" x 119"	35" x 119"	19 lbs.
4' x 6'	45" x 69"	45" x 69"	16 lbs.
4' x 8'	45" x 95"	45" x 95"	21 lbs.
5' x 8'	59" x 95"	59" x 95"	26 lbs.
5' x 10'	59" x 119"	59" x 119"	32 lbs.
6' x 10'	69" x 119"	69" x 119"	38 lbs.
6' x 12'	69" x 143"	69" x 143"	46 lbs.

Special sizes and XL sizes are available. All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.







Mat Surface Detail



HogHeaven[™] Impressions

Medium Traffic, Indoor Applications

Item # 3422



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Photographic quality logos.
- Exceptional anti-fatigue properties.
- 5/8" thick foam cushion.
- Diamond surface pattern offers superior traction.
- UV, chemical and oil resistant.
- Pantone[™] color matching available for a one time fee of \$250.00 per PMS match.
- Easy to clean! Hose off or sweep.
- For a non-logo version, see HogHeaven™ on page 39.

Mat Specifications

Overall Mat Thickness: 5/8"

Logo Material: Digitally Printed Vinyl

Mat Surface: Nitrile Rubber,

Diamond Pattern

Mat Borders: Beveled Nitrile Rubber

Mat Backing: Foam Rubber

Ideal Usage

- Valet Stands
- Cash Registers
- Trade Shows
- Pharmacies
- Casinos
- Airports
- Hostess Stations
- Kiosks
- Veterinary Offices

Work Stations

- Laboratories
- Banks
- Salons
- Automobile Dealerships
- Research
 Facilities
- Healthcare Facilities


Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2' x 3'	24" x 33"	12" x 22"	7 lbs.
3' x 5'	33" x 58"	24" x 44"	16 lbs.
3' x 12'	33" x 142"	24" x 120"	37 lbs.
4' x 6'	46" x 69"	36" x 50"	26 lbs.





Mat Surface Detail



New Wave™

Medium Traffic, Indoor Applications



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Dye-sublimated.
- Full bleed imprint.
- Unlimited color options.
- Photographic quality logos.
- Ideal for short-term promotional use.
- Features a 4 mm thick foam cushion, which provides great anti-fatigue properties.
- Pantone[™] color matching available for a one time fee of \$250.00 per PMS match.
- Easy to clean! Rinse with cold water and air dry.

Mat Specifications

Overall Mat Thickness: 4 mm Mat Surface: Polyester Knit Fabric

Mat Borders: None

Mat Backing: Natural Black Foam Rubber

Ideal Usage

- Events
- Trade Shows
- Kiosks
- Athletic Facilities
- Pharmacies
- Boutiques
- Spas

- Malls
- Veterinary Offices
- Retail Stores
- Point-of-Purchase Displays
- Short-Term Promotions

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
18" x 27"	18" x 27"	18" x 27"	1.5 lbs.
2' x 3'	23" x 36"	23" x 36"	3 lbs.
4' x 6'	46" x 66"	46" x 66"	11 lbs.





Mat Surface Detail



PhotoMats™

Medium Traffic, Countertop Applications

Item # 4588



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Photographic quality logos.
- Unlimited color options.
- Full bleed imprint with 1" rubber border.
- Dye-sublimated.
- Features a slip-resistant rubber backing.
- Pantone[™] color matching available for a one time fee of \$250.00 per PMS match.
- Ideal for short-term promotional use.
- Easy to clean! Rinse with cold water and air dry.

Mat Specifications

Overall Mat Thickness: 53 Mil Mat Surface: Polyester Knit Fabric

Mat Borders: Nitrile Rubber Mat Backing: Nitrile Rubber

Ideal Usage

- Events
- Trade Shows
- Kiosks
- Bars and Counters
- Pharmacies
- Boutiques


- Restaurants
- Veterinary Offices
- Retail Stores
- Point-of-Purchase Displays
- Short-Term Promotions

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
3.5" x 23"	3.5" x 23"	2.5" x 22"	.4 lbs.
9.75" x 14"	9.75" x 14"	8.75" x 13"	.5 lbs.
12" x 12"	12" x 12"	11" x 11"	.6 lbs.
18" x 24"	18" x 24"	17" x 23"	2 lbs.
18" x 27"	18" x 27"	17" x 26"	2 lbs.
2' x 3'	24" x 36"	23" x 35"	3 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.





Mat Surface Detail



SuperScrape[™] Impressions

High Traffic, Indoor and Outdoor Applications

Item # 3559



Features and Benefits

- No set-up fees.
- No art fees.
- 5 day standard production time.
- Photographic quality logos.
- Circular surface cleats for scraping and traction.
- UV, chemical and oil resistant.
- Pantone™ color matching available for a one time fee of \$250.00 per PMS match.
- Easy to clean! Hose off or sweep.
- For a non-logo version, see SuperScrape[™] on page 42.

Mat Specifications

Overall Mat Thickness: 1/4"

Logo Material: Digitally Printed Vinyl

Mat Surface: Nitrile Rubber,

Circular Scraping Cleats

Static Dissipative

Mat Borders: Nitrile Rubber Mat Backing: Nitrile Rubber

Ideal Usage

- Schools
- Malls
- Retail Stores
- Factories
- Hotels
- Construction Sites
- Restaurants
- Banks

- Sports Arenas
- Convenience Stores
- Automobile Dealerships
- Apartment Communities
- Office Buildings

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
2.5' x 3'	29" x 34"	20" x 25"	8 lbs.
3' x 5'	34" x 55"	25" x 48"	14 lbs.
3' x 10'	34" x 111"	25" x 96"	28 lbs.
4' x 6'	45" x 67"	36" x 50"	22 lbs.
4' x 8'	45" x 95"	36" x 70"	31 lbs.
6' x 6'	68" x 68"	43" x 50"	30 lbs.
6' x 8'	71" x 96"	43" x 80"	46 lbs.





Mat Surface Detail



SuperScrape™ Signature

High Traffic, Indoor and Outdoor Applications

Item # 3669



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Photographic quality logos.
- Circular surface cleats for scraping and traction.
- UV, chemical and oil resistant.
- Pantone[™] color matching available for a one time fee of \$250.00 per PMS match.
- Cost-effective, outdoor logo mat option.
- Easy to clean! Hose off or sweep.
- For a non-logo version, see SuperScrape[™] on page 42.

Mat Specifications

Overall Mat Thickness: 1/4"

Logo Material: Digitally Printed Vinyl

Mat Surface: Nitrile Rubber,

Circular Scraping Cleats

Static Dissipative

Mat Borders: Nitrile Rubber Mat Backing: Nitrile Rubber

Ideal Usage

- Schools
- Malls
- Retail Stores
- Factories
- Hotels
- Construction Sites
- Restaurants
- Banks
- Sports Arenas

- Amusement Parks
- Automobile Dealerships
- Apartment Communities
- Office Buildings
- Convenience Stores

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
3' x 5'	34" x 54"	7.5" x 13"	14 lbs.
4' x 6'	45" x 67"	7.5" x 13"	22 lbs.





Mat Surface Detail



Waterhog[™] Inlay

High Traffic, Indoor and Outdoor Applications

Item # 2283



Features and Benefits

- No set-up fees.
- · No art fees.
- 5 day standard production time.
- Up to 18 colors per mat.
- Logo pieces are hand-assembled and inlaid.
- "Water Dam" border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.
- For a non-logo version, see Waterhog[™]
 Classic and Fashion on page 46.

Mat Specifications

Overall Mat Thickness: 3/8"

Mat Surface: Polypropylene Fabric

Carpet Weight: 24 oz/sq yd Mat Borders: SBR Rubber Mat Backing: SBR Rubber

Ideal Usage

- Banks
- Retail Stores
- Sports Arenas
- Hotels

Schools

- Restaurants
- Airports
- Office Buildings

Standard Sizes

Size	Finished Size	Maximum Logo Area	Weight
2' x 3'	23" x 35"	21" x 33"	5 lbs.
3' x 4'	35" x 45"	33" x 43"	9 lbs.
3' x 5'	35" x 58"	33" x 56"	12 lbs.
3' x 10'	35" x 116"	33" x 114"	21 lbs.
4' x 6'	45" x 69"	43" x 67"	18 lbs.
4' x 8'	45" x 96"	43" x 94"	23 lbs.
4' x 10'	45" x 116"	43" x 114"	29 lbs.
6' x 8'	70" x 97"	68" x 95"	35 lbs.
6' x 12'	70" x 144"	68" x 142"	52 lbs.

Only available in 3', 4' and 6' widths. Special sizes are available in whole foot increments. All mats have a 3-5% size variance Different designs, sizes and products cannot be combined for higher quantity break pricing.



Color Options





Mat Surface Detail

Waterhog™ Sculptures

Medium Traffic, Indoor and Outdoor Applications

Item # 355



Features and Benefits

- No set-up fees.
- No art fees.
- Initial minimum order of 100 mats.
- Subsequent orders have no minimums.
- Custom, molded tone-on-tone logos created with a single color.
- "Water Dam" border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.
- For a non-logo version, see Waterhog[™]
 Classic and Fashion on page 46.

Mat Specifications

Overall Mat Thickness: 3/8"

Mat Surface: Polypropylene Fabric

Carpet Weight: 24 oz/sq yd

Mat Borders: Polypropylene Fabric

Mat Backing: SBR Rubber

Ideal Usage

- Home Builders
- Banks
- Retail Stores
- Resorts
- Ski Lodges
- Apartment Communities
- Real Estate Companies
- Large Corporate Accounts

Standard Sizes

Size	Finished Size	Weight
2' x 3'	23" x 35"	5 lbs.
3' x 4'	35" x 45"	9 lbs.
3' x 5'	35" x 58"	12 lbs.
4' x 6'	45" x 69"	18 lbs.



Color Options





Mat Surface Detail

Waterhog[™] Signature

High Traffic, Indoor and Outdoor Applications

Item # 3668



Features and Benefits

- No set-up fees.
- No art fees.
- 5 day standard production time.
- Photographic quality logos.
- "Water Dam" border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Pantone[™] color matching available for the logo imprint area for a one time fee of \$250.00 per PMS match.
- Easy to clean! Vacuum, hose off or steam clean.
- For a non-logo version, see Waterhog[™]
 Classic and Fashion on page 46.

Mat Specifications

Overall Mat Thickness: 3/8"

Logo Material: Digitally Printed Vinyl Mat Surface: Polypropylene Fabric

Carpet Weight: 24 oz/sq yd

Mat Borders: Polypropylene Fabric

Mat Backing: SBR Rubber

Ideal Usage

- Schools
- Malls
- Retail Stores
- Factories
- Hotels
- Construction Sites
- Restaurants
- Banks

- Sports Arena
- Amusement Parks
- Apartment Communities
- Office Buildings
- Convenience Stores

Standard Sizes

Size	Finished Size	Maximum Print Area	Weight
3' x 5'	35" x 58"	7.5" x 13"	14 lbs.
4' x 6'	45" x 69"	7.5" x 13"	22 lbs.



Background Color Options





Mat Surface Detail

Complete Comfort™

High Traffic, Indoor Applications

Item # 494



Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Available with or without drainage holes.
- Industrial strength anti-fatigue mat.
- Textured surface pattern offers superior traction.
- Beveled edges for safety.
- UV, chemical and oil resistant.
- May be used in wet and dry applications.
- Easy to clean! Hose off or sweep.

Mat Specifications

Overall Mat Thickness: 5/8"

Mat Surface: Closed-Cell Nitrile Foam Rubber

Mat Borders: Beveled Foam Rubber

Mat Backing: Closed-Cell Nitrile Foam Rubber

Ideal Usage

- Work Stations
- Factories
- Restaurants
- Construction Sites
- Kiosks
- Cash Registers
- Assembly Lines

- Casinos
- Service Stations
- Valet Stands
- Healthcare Facilities
- Research Facilities

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 36"	5 lbs.
3' x 4'	36" x 48"	10 lbs.
3' x 5'	36" x 60"	13 lbs.
3' x 10'	36" x 120"	26 lbs.
4' x 6'	48" x 72"	20 lbs.
4' x 8'	48" x 96"	27 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.

Cushion Max™

Medium Traffic, Indoor Applications

Item # 413



Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Available with or without drainage holes.
- Exceptional anti-fatigue properties.
- Diamond surface pattern offers superior traction.
- · Beveled edges for safety.
- Easy to clean! Hose off or sweep.
- For a logo version, see Cushion Max[™] Impressions on page 6.

Mat Specifications

Overall Mat Thickness: 5/8"

Mat Surface: Closed-Cell Nitrile Foam Rubber,

Diamond Pattern

Mat Borders: Beveled Foam Rubber

Mat Backing: Closed-Cell Nitrile Foam Rubber

Ideal Usage

- Casinos
- Factories
- Hostess Stations
- Kiosks
- Cash Registers
- Valet Stands
- Service Stations
- Production Lines
- Pharmacies

- Research Facilities
- Automotive Repair Shops
- Behind Work Counters or Bars
- Convenience Stores
- Healthcare **Facilities**

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 36"	4 lbs.
3' x 5'	36" x 60"	8 lbs.
3' x 12'	36" x 144"	18 lbs.
4' x 6'	48" x 72"	12 lbs.

DigiPrint™ HD Solid

High Traffic, Indoor Applications

Item # 79



Features and Benefits

- No set-up fees.
- 5 day standard production time.
- · Revolutionary, HD digital printing.
- Features 150 standard colors to choose from. Color palette available on website.
- Extremely plush carpet.
- Treated with StainStopper[™].
- Easy to clean! Vacuum or steam clean.
- For a logo version, see DigiPrint[™] HD on page 10.

Mat Specifications

Overall Mat Thickness: 5/16" Mat Surface: Nylon Yarn Carpet Weight: 32 oz/sq yd

Static Dissipative

Mat Borders: SBR Rubber Mat Backing: SBR Rubber

Ideal Usage

- Hotels
- Restaurants
- Schools
- Retail Stores
- Museums
- Civic Groups
- Healthcare Facilities
- Commercial Buildings

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 35"	3 lbs.
3' x 4'	35" x 47"	6 lbs.
3' x 5'	35" x 59"	8 lbs.
3' x 10'	35" x 119"	16 lbs.
4' x 6'	45" x 69"	12 lbs.
4' x 8'	45" x 95"	17 lbs.
5' x 8'	59" x 95"	20 lbs.
5' x 10'	59" x 119"	27 lbs.
6' x 10'	69" x 119"	31 lbs.
6' x 12'	69" x 143"	40 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.

HogHeaven™

Medium Traffic, Indoor Applications



Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Exceptional anti-fatigue properties.
- Beveled edges for safety.
- Diamond surface pattern offers superior traction.
- 7/8" thick cushion.
- UV, chemical and oil resistant.
- Easy to clean! Hose off or sweep.
- For a logo version, see HogHeaven[™] Impressions on page 20.

Mat Specifications

Overall Mat Thickness: 7/8"

Mat Surface: Nitrile Rubber,
Diamond Pattern

Static Dissipative

Mat Borders: Beveled Nitrile Rubber

Mat Backing: Foam Rubber

Ideal UsageWork Stations

- Factories
- Laboratories
- Kiosks
- Banks
- Hotels
- Trade Shows
- Casinos

- Manufacturing Facilities
- Automotive Repair Shops
- Behind Work Counters or Bars
- Security Check Points

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 33"	8 lbs.
3' x 5'	33" x 58"	18 lbs.
3' x 12'	33" x 142"	41 lbs.
4' x 6'	46" x 69"	28 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.



Features and Benefits

- · No set-up fees.
- 5 day standard production time.
- High performance non-logo option.
- Heavy carpet construction for extreme durability.
- Vibrant, lasting color.
- Extra strength, non-skid rubber backing.
- Bleach and UV resistant.
- Easy to clean! Vacuum or steam clean.

Mat Specifications

Overall Mat Thickness: 7/16" Mat Surface: Nylon Yarn Carpet Weight: 35 oz/sq yd Mat Borders: Nitrile Rubber

Mat Backing: 90 Mil Nitrile Rubber

Ideal Usage


- Hardware Stores
- Schools
- Hotels
- Restaurants
- Construction Sites
- Retail Stores
- Supermarkets

- Lobbies
- Civic Buildings
- Automobile Dealerships
- Healthcare **Facilities**
- Office Buildings

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 35"	4 lbs.
3' x 5'	35" x 58"	10 lbs.
3' x 10'	35" x 119"	20 lbs.
4' x 6'	45" x 68"	15 lbs.

Special sizes are available. All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.





Black



Brown/Black




Deeper Navy



Dark Green



Mat Surface Detail



Golden Brown



Midnight Grey



Red Pepper



Slate Grey

SuperScrape™

High Traffic, Indoor and Outdoor Applications





Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Extremely durable.
- Ideal for any heavy duty application.
- Surface cleats for scraping and traction.
- UV, chemical and oil resistant.
- Easy to clean! Hose off or sweep.
- For a logo version, see SuperScrape[™] Impressions on page 26.

Mat Specifications

Static Dissipative

Overall Mat Thickness: 1/4"

Mat Surface: Nitrile Rubber,
Scraping Cleats

ocraping or

Mat Borders: Nitrile Rubber Mat Backing: Nitrile Rubber

Ideal Usage


- Factories
- Construction Sites
- Hotels
- Schools
- Amusement Parks
- Sports Arenas
- Convenience Stores
- Behind Work Counters or Bars
- Recreational Facilities
- Automotive Repair Shops

Standard Sizes

Size	Finished Size	Weight
2.5' x 3'	29" x 34"	6 lbs.
3' x 5'	34" x 54"	12 lbs.
3' x 10'	34" x 111"	24 lbs.
4' x 6'	45" x 67"	20 lbs.
4' x 8'	45" x 95"	28 lbs.
6' x 6'	68" x 68"	31 lbs.
6' x 8'	71" x 96"	44 lbs.

All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.





Mat Surface Detail







Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Vibrant, lasting color.
- Cost effective non-logo mat option.
- Safe around sensitive electronic equipment.
- Filters up to 80% of soil from shoes.
- Easy to clean! Vacuum or steam clean.

Mat Specifications

Overall Mat Thickness: 3/8" Mat Surface: Nylon Yarn Carpet Weight: 21 oz/sq yd Mat Borders: SBR Rubber Mat Backing: SBR Rubber

Ideal Usage

- Schools
- Hotels
- Restaurants
- Retail Stores
- Supermarkets
- Lobbies

- Civic Buildings
- Automobile Dealerships
- Healthcare Facilities
- Office Buildings

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 35"	3 lbs.
3' x 4'	35" x 47"	7 lbs.
3' x 5'	35" x 59"	8 lbs.
3' x 6'	35" x 69"	9 lbs.
3' x 8'	35" x 95"	12 lbs.
3' x 10'	35" x 118"	15 lbs.
4' x 6'	45" x 69"	12 lbs.
4' x 8'	45" x 9"	16 lbs.
4' x 10'	45" x 118"	18 lbs.

Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.





Autumn Brown*

Black Opal*



Blueberry Frost*



Browntone



Burgundy Berry



Cabot Grey



Charcoal



Chocolate*



Cranberry*



Dark Granite



Emerald Green*



Glen Green*



Grey*



Midnight Blue*



Navy*



Platinum*

Steel Blue*



Red/Black

Suede*



Silver*

Solid Red*



Slate



Stardust Grey*



Mat Surface Detail

Waterhog™ Classic and Fashion

High Traffic, Indoor and Outdoor Applications

Item # 200 - Classic, 280 - Fashion



Features and Benefits

- No set-up fees.
- 5 day standard production time.
- Standard "classic" rubber or optional "fashion" fabric borders.
- "Water Dam" border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.
- For a logo version, see Waterhog[™] Inlay on page 30.

Mat Specifications

Overall Mat Thickness: 3/8"

Mat Surface: Polypropylene Fabric

Carpet Weight: 24 oz/sq yd

Mat Borders: SBR Rubber or

Polypropylene Fabric

Mat Backing: SBR Rubber

Ideal Usage

- Outdoor Entrances
 Resorts
- Snowy or Icy Areas Department Stores
- Leasing Offices
- Supermarkets
- Ski Lodges

Residential Communities

Standard Sizes

Size	Finished Size	Weight
2' x 3'	23" x 35"	5 lbs.
3' x 4'	35" x 45"	9 lbs.
3' x 5'	35" x 58"	12 lbs.
3' x 10'	35" x 116"	21 lbs.
4' x 6'	45" x 69"	18 lbs.
4' x 8'	45" x 96"	23 lbs.
4' x 10'	45" x 116"	29 lbs.
6' x 8'	70" x 95"	35 lbs.
6' x 12'	70" x 142"	52 lbs.

Only available in 3', 4' and 6' widths. Special sizes are available. All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.







Waterhog™ Eco Premier and Fashion

High Traffic, Indoor and Outdoor Applications

Item # 2295 - Classic, 2297 - Fashion



Features and Benefits

- No set-up fees.
- 5 day production time.
- Standard "classic" rubber or optional "fashion" fabric borders.
- "Water Dam" border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.

Mat Specifications

Overall Mat Thickness: 3/8"

Mat Surface: 100% Recycled Polyester

(PET) Fabric

Carpet Weight: 30 oz/sq yd Mat Borders: SBR Rubber or

100% Recycled Polyester

(PET) Fabric

Mat Backing: SBR Rubber

Ideal Usage

- Legal Offices
- Leasing Offices
- Banks
- Hotels
- Restaurants
- Schools
- Museums

- Civic Buildings
- Healthcare Facilities
- Upscale Commercial Applications
- Residential Communities

Standard Sizes

Size	Finished Size	Weight
2' x 3'	24" x 35"	6 lbs.
3' x 4'	35" x 46"	11 lbs.
3' x 5'	35" x 59"	13 lbs.
3' x 10'	35" x 118"	24 lbs.
4' x 6'	45" x 70"	19 lbs.
4' x 8.4'	45" x 101"	26 lbs.
6' x 8.4'	71" x 101"	38 lbs.

Only available in 3', 4' and 6' widths.
Special sizes are available.
All mats have a 3-5% size variance.
Different designs, sizes and products cannot be combined for higher quantity break pricing.





Black Smoke



Chestnut Brown



Grey Ash



Indigo



Rubber Border



Khaki



Maroon



Regal Red



Southern Pine



Fashion Border

Waterhog™ Eco Grand Premier High Traffic, Indoor and Outdoor Applications Item # 2248 - One End, 2249 - Two Ends, 2249 - Half Oval



Features and Benefits

- · No set-up fees.
- 5 day standard production time.
- "Water Dam" fabric border traps dirt and moisture.
- Absorbs up to 1.5 gallons of water per square yard.
- Durable, UV resistant.
- Easy to clean! Vacuum, hose off or steam clean.

Mat Specifications

Mat Thickness: 3/8"

Mat Surface: 100% Recycled

Polyester (PET) Fabric

Carpet Weight: 30 oz/sq yd Mat Borders: 100% Recycled

Polyester (PET) Fabric

Mat Backing: SBR Rubber

Ideal Usage

- Banks
- Restaurants
- Hotels
- Residences

Standard Sizes

Size	Finished Size	Weight	
Half Oval			
3' x 1.8'	35" x 22"	6 lbs.	
4' x 2.3'	45" x 28"	8 lbs.	
6' x 3.3'	71" x 40"	16 lbs.	
One End			
3' x 5.5'	35" x 66"	14 lbs.	
3' x 10'	35" x 114"	23 lbs.	
4' x 5.9'	45" x 69"	19 lbs.	
4' x 10.5'	45" x 119"	31 lbs.	
6' x 7'	71" x 84"	30 lbs.	
Two Ends			
3' x 7.1'	35" x 85"	17 lbs.	
3' x 11.7'	35" x 139"	26 lbs.	
4' x 12.6'	45" x 150"	36 lbs.	

Only available in 3', 4' and 6' widths. All mats have a 3-5% size variance. Different designs, sizes and products cannot be combined for higher quantity break pricing.







Black Smoke



Chestnut Brown



Grey Ash



Indigo



Khaki



Maroon



Regal Red



Southern Pine

